

## Deep Frame


Design iGuzzini

iGuzzini

Last information update: April 2025

### Product configuration: P933

P933: Deep Frame - 3 elements - CoB warm LED - flood beam - dimmable DALI



### Product code

P933: Deep Frame - 3 elements - CoB warm LED - flood beam - dimmable DALI **Attention! Code no longer in production**

### Technical description

Three element recessed luminaire for an LED lamp. Version with a perimeter frame. Shaped sheet steel structural frame. Die-cast aluminium, twin swivel universal joints located in a position set back from the installation surface to guarantee a high level of visual comfort. Tilts  $\pm 30^\circ$  around both the horizontal and vertical axes. Die-cast aluminium lighting bodies designed to optimise heat dispersal. High efficiency aluminium reflectors - flood angle. High color rendering index, warm white LED lamps. Each lamp unit has its own glass cover. Mechanical installation system. DALI dimmable control gear units included.

### Installation

Recessed in 1 to 30mm thick false ceilings - secured with manually adjustable metal brackets. Preparation hole 169 x 327.

### Colour

White (01) | Grey / Black (74)

### Weight (Kg)

4.8

### Mounting

ceiling recessed

### Wiring

Complete with DALI dimmable control gear units connected to the luminaire. Wiring for connecting to mains network on driver terminal board. For the dimensions of the installation compartment see the instructions sheet.

### Notes

Accessories available: refractor for elliptical flow distribution - interchangeable reflector.


Complies with EN60598-1 and pertinent regulations



IP20

IP23

On the visible part of the product once installed



### Technical data

Im system:	7190.1	CRI:	90
W system:	94.4	Colour temperature [K]:	3000
Im source:	3000	MacAdam Step:	3
W source:	27	Life Time LED 1:	> 50,000h - L80 - B10 (Ta 25C)
Luminous efficiency (Im/W, real value):	76.17	Lamp code:	LED
Im in emergency mode:	-	Number of lamps for optical assembly:	1
Total light flux at or above an angle of 90° [Lm]:	0.0	ZVEI Code:	LED
Light Output Ratio (L.O.R.) [%]:	80	Number of optical assemblies:	3
Beam angle [°]:	38°	Control:	DALI