



R427.01: Anfangsmodul Frame - Down Office /Working UGR < 19 - L 612 - TP(a) - weiss




Polardiagramm



Wirkungsgrad

R	77	75	73	71	55	53	33	00	DRR
K0.8	49	43	40	37	43	39	39	35	55
1.0	52	48	44	41	47	44	43	40	62
1.5	58	54	51	49	53	50	50	47	73
2.0	61	58	56	54	57	55	54	51	80
2.5	63	60	58	57	59	57	57	54	84
3.0	64	62	60	59	61	59	58	56	87
4.0	65	64	62	61	62	61	60	58	91
5.0	66	65	64	63	64	63	61	59	92

Söllner-Diagramm



UGR-Diagramm

Corrected UGR values (at 1250 lm bare lamp luminous flux)											
Reflect.: ceiling/cav walls work pl. Room dim x y		0.70	0.70	0.50	0.50	0.30	0.70	0.70	0.50	0.50	0.30
		0.50	0.30	0.50	0.30	0.30	0.50	0.30	0.50	0.30	0.30
		0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
		viewed crosswise					viewed endwise				
2H	2H	14.5	15.5	14.8	15.7	16.0	15.8	16.7	16.1	17.0	17.2
	3H	15.1	15.9	15.4	16.2	16.5	15.9	16.8	16.3	17.0	17.3
	4H	15.3	16.1	15.6	16.4	16.7	15.9	16.7	16.3	17.0	17.3
	6H	15.4	16.1	15.8	16.5	16.8	15.9	16.6	16.3	16.9	17.3
	8H	15.4	16.1	15.8	16.5	16.8	15.9	16.6	16.2	16.9	17.2
	12H	15.4	16.1	15.8	16.4	16.8	15.8	16.5	16.2	16.8	17.2
4H	2H	14.9	15.6	15.2	15.9	16.3	16.5	17.3	16.8	17.6	17.9
	3H	15.6	16.2	15.9	16.6	16.9	16.8	17.4	17.1	17.8	18.1
	4H	15.8	16.4	16.2	16.8	17.2	16.8	17.4	17.2	17.8	18.2
	6H	16.0	16.5	16.5	17.0	17.4	16.9	17.4	17.3	17.8	18.2
	8H	16.1	16.5	16.5	17.0	17.4	16.9	17.3	17.3	17.8	18.2
	12H	16.1	16.5	16.5	16.9	17.4	16.8	17.3	17.3	17.7	18.2
8H	4H	15.9	16.4	16.4	16.8	17.3	17.1	17.6	17.6	18.0	18.5
	6H	16.2	16.6	16.7	17.0	17.5	17.3	17.6	17.7	18.1	18.6
	8H	16.3	16.6	16.8	17.1	17.6	17.3	17.6	17.8	18.1	18.6
	12H	16.3	16.6	16.8	17.1	17.6	17.3	17.6	17.8	18.1	18.6
12H	4H	15.9	16.3	16.4	16.8	17.2	17.2	17.6	17.6	18.0	18.5
	6H	16.2	16.6	16.7	17.0	17.5	17.3	17.7	17.8	18.1	18.6
	8H	16.3	16.6	16.8	17.1	17.6	17.4	17.7	17.9	18.2	18.7
Variations with the observer position at spacing:											
S =		1.0H	0.6 / -0.7		0.3 / -0.6						
		1.5H	0.9 / -1.5		1.1 / -1.5						
		2.0H	1.9 / -2.0		2.2 / -2.0						