


QB95 QZ88 ES 1 / 3

Polar



Coefficientes de uso

R	77	75	73	71	55	53	33	00	DRR
K0.8	49	44	40	37	43	40	39	36	55
1.0	53	48	45	42	47	44	44	40	62
1.5	59	55	52	49	54	51	50	47	73
2.0	62	59	56	54	58	55	55	52	80
2.5	64	61	59	57	60	58	57	55	84
3.0	65	63	61	60	62	60	59	57	87
4.0	66	65	63	62	63	62	61	59	90
5.0	67	66	64	64	64	63	62	60	92

Curva límite de luminancia




Diagrama UGR

Corrected UGR values (at 5550 lm bare lamp luminous flux)												
Reflect.: ceiling/cav walls work pl. Room dim x y		0.70	0.70	0.50	0.50	0.30	0.70	0.70	0.50	0.50	0.30	0.30
		0.50	0.30	0.50	0.30	0.30	0.50	0.30	0.50	0.30	0.30	0.30
		0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
		viewed crosswise					viewed endwise					
2H	2H	15.3	16.2	15.6	16.5	16.7	16.3	17.3	16.6	17.5	17.8	17.8
	3H	15.8	16.7	16.1	16.9	17.2	16.5	17.4	16.8	17.6	17.9	17.9
	4H	16.0	16.8	16.4	17.1	17.4	16.5	17.3	16.9	17.6	17.9	17.9
	6H	16.2	16.9	16.5	17.2	17.6	16.5	17.2	16.9	17.5	17.9	17.9
	8H	16.2	16.9	16.6	17.2	17.6	16.5	17.2	16.8	17.5	17.9	17.9
	12H	16.2	16.9	16.6	17.2	17.6	16.4	17.1	16.8	17.5	17.8	17.8
4H	2H	15.6	16.4	15.9	16.7	17.0	17.0	17.8	17.4	18.1	18.4	18.4
	3H	16.3	17.0	16.7	17.3	17.7	17.3	18.0	17.7	18.4	18.7	18.7
	4H	16.6	17.2	17.0	17.5	17.9	17.4	18.0	17.8	18.4	18.8	18.8
	6H	16.8	17.3	17.2	17.7	18.2	17.5	18.0	17.9	18.4	18.8	18.8
	8H	16.9	17.4	17.3	17.8	18.2	17.5	17.9	17.9	18.4	18.8	18.8
	12H	16.9	17.4	17.4	17.8	18.3	17.4	17.9	17.9	18.3	18.8	18.8
8H	4H	16.7	17.1	17.1	17.6	18.0	17.7	18.1	18.1	18.6	19.0	19.0
	6H	17.0	17.4	17.5	17.8	18.3	17.8	18.2	18.3	18.6	19.1	19.1
	8H	17.1	17.5	17.6	17.9	18.4	17.8	18.2	18.3	18.6	19.2	19.2
	12H	17.2	17.5	17.7	18.0	18.5	17.9	18.2	18.4	18.6	19.2	19.2
12H	4H	16.6	17.1	17.1	17.5	18.0	17.7	18.1	18.2	18.6	19.0	19.0
	6H	17.0	17.3	17.5	17.8	18.3	17.8	18.2	18.3	18.6	19.2	19.2
	8H	17.2	17.5	17.7	17.9	18.5	17.9	18.2	18.4	18.7	19.2	19.2
Variations with the observer position at spacing:												
S =		1.0H	0.5 / -0.6		0.3 / -0.6							
		1.5H	0.7 / -1.4		1.0 / -1.4							
		2.0H	1.6 / -1.9		2.1 / -2.0							