



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024011001608732

NAME AND ADDRESS OF THE APPLICANT

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND ADDRESS OF THE MANUFACTURER

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT NAME,MODEL AND SPECIFICATION

Recessed Luminaires For LED Modules (Ceiling Recessed, A.C. Supplied Electronic Controlgear For LED Modules, Class II, IP20/IP43, Suitable For Direct Mounting On Normally Flammable Material, Not Covered By Insulating Material, Controlled Port Dimming for some type)
See Appendix ; 220/240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Feb.20,2024

Valid until: Feb.19,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. :2024011001608732

Appendix: Page 1 of 1

控制端口调光 (DALI 调光):

RC83 23.4W(96×0.22W/LED), RC84 23.4W(96×0.22W/LED),
RC85 23.4W(96×0.22W/LED), RC86 23.4W(96×0.22W/LED),
RC90 23.4W(96×0.22W/LED), RC91 23.4W(96×0.22W/LED),
RC95 29.2W(96×0.28W/LED), RC96 29.2W(96×0.28W/LED),
RC97 29.2W(96×0.28W/LED), RC98 29.2W(96×0.28W/LED),
RC99 29.2W(96×0.28W/LED), RD00 29.2W(96×0.28W/LED),
RE81 25.8W(192×0.11W/LED), RE82 31.2W(192×0.14W/LED),
R878 25.8W(192×0.11W/LED), R900 29.2W(96×0.28W/LED),
R901 29.2W(96×0.28W/LED), R902 29.2W(96×0.28W/LED),
R903 29.2W(96×0.28W/LED), R906 31.2W(192×0.14W/LED),
R922 29.2W(96×0.28W/LED), R923 29.2W(96×0.28W/LED),
R872 23.4W(96×0.22W/LED), R873 23.4W(96×0.22W/LED),
R874 23.4W(96×0.22W/LED), R875 23.4W(96×0.22W/LED),
R894 23.4W(96×0.22W/LED), R895 23.4W(96×0.22W/LED),

不可调光:

R896 29.3W(96×0.28W/LED), R897 29.3W(96×0.28W/LED),
R898 29.3W(96×0.28W/LED), R899 29.3W(96×0.28W/LED),
R868 23.2W(96×0.22W/LED), R869 23.2W(96×0.22W/LED),
R870 23.2W(96×0.22W/LED), R871 23.2W(96×0.22W/LED).

220/240V~ 50/60Hz

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号：2024011001608732

认证委托人名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产者名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品名称和系列、型号、规格

嵌入式 LED 灯具（嵌天花板式，LED 模块用交流电子控制装置，II 类，嵌入部分：
IP20/外露部分：IP43，适宜直接安装在普通可燃材料表面，不能被隔热材料覆盖，
部分型号控制端口调光）
见附页；220/240V~ 50/60Hz

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB 7000.1-2015; GB 7000.202-2008

上述产品符合《强制性产品认证实施规则 照明电器》（CNCA-C10-01:2014）的要求，特发此证。

发证日期：2024 年 02 月 20 日 有效期至：2029 年 02 月 19 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2024011001608732

证书附页: 第 1 页 共 1 页

控制端口调光 (DALI 调光):

RC83 23.4W(96×0.22W/LED), RC84 23.4W(96×0.22W/LED),
RC85 23.4W(96×0.22W/LED), RC86 23.4W(96×0.22W/LED),
RC90 23.4W(96×0.22W/LED), RC91 23.4W(96×0.22W/LED),
RC95 29.2W(96×0.28W/LED), RC96 29.2W(96×0.28W/LED),
RC97 29.2W(96×0.28W/LED), RC98 29.2W(96×0.28W/LED),
RC99 29.2W(96×0.28W/LED), RD00 29.2W(96×0.28W/LED),
RE81 25.8W(192×0.11W/LED), RE82 31.2W(192×0.14W/LED),
R878 25.8W(192×0.11W/LED), R900 29.2W(96×0.28W/LED),
R901 29.2W(96×0.28W/LED), R902 29.2W(96×0.28W/LED),
R903 29.2W(96×0.28W/LED), R906 31.2W(192×0.14W/LED),
R922 29.2W(96×0.28W/LED), R923 29.2W(96×0.28W/LED),
R872 23.4W(96×0.22W/LED), R873 23.4W(96×0.22W/LED),
R874 23.4W(96×0.22W/LED), R875 23.4W(96×0.22W/LED),
R894 23.4W(96×0.22W/LED), R895 23.4W(96×0.22W/LED),

不可调光:

R896 29.3W(96×0.28W/LED), R897 29.3W(96×0.28W/LED),
R898 29.3W(96×0.28W/LED), R899 29.3W(96×0.28W/LED),
R868 23.2W(96×0.22W/LED), R869 23.2W(96×0.22W/LED),
R870 23.2W(96×0.22W/LED), R871 23.2W(96×0.22W/LED).

220/240V~ 50/60Hz

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心