

PID:
04010005

CID:
C.1993.1550

Certificato di approvazione

Approval certificate



IMQ, ente di certificazione accreditato,
autorizza la ditta

IMQ, accredited certification body, grants to

PRD N° 005B

Membro degli Accordi di Mutuo
Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC
Mutual Recognition Agreements

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

all'uso del marchio

the licence to use the mark

ENEC 03, IMQ

Il presente certificato è stato rilasciato sotto la presunzione e subordinatamente al fatto che il concessionario detenga tutti i necessari diritti legali relativi ai prodotti presentati per le prove e la certificazione, descritti nell'Allegato al presente certificato; inoltre, esso è soggetto alle condizioni previste nel Regolamento "MARCHI IMQ - Regolamento per la certificazione di prodotti".

La validità dei certificati ENEC è verificabile sul sito www.enec.com

This certificate has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the products presented for testing and certification, and listed in the annex to this certificate; moreover, it is subjected to the conditions foreseen by Rules "IMQ MARKS - RULES for product certification".

Validity of ENEC licences can be checked at www.enec.com



per i seguenti prodotti

for the following products

**Apparecchi di illuminazione di
emergenza
(Serie CRYSTAL)**

**Luminaires for emergency lighting
(Series CRYSTAL)**

Emesso il | Issued on **2023-10-25**

Aggiornato il | Updated on **2025-01-30**

Sostituisce | Replaces **2023-10-25**

IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il | Issued on 2023-10-25
Aggiornato il | Updated on 2025-01-30
Sostituisce | Replaces 2023-10-25

Prodotto | Product

Apparecchi di illuminazione di emergenza Luminaires for emergency lighting

Concessionario | Licence Holder

IGUZZINI ILLUMINAZIONE SPA
VIA MARIANO GUZZINI 37
62019 RECANATI MC
IT - Italy

Marchio | Mark



ENEC 03, IMQ

Costruito a | Manufactured at

PI.H000QJ	C02482514	201401	FENGXIAN INDUSTRIAL PARK, SHANGHAI	China
95001491	CLIGUZ.C04LCIGUZ.C	62019	RECANATI	MC Italy

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme / Specifiche tecniche

Prodotto/i conforme/i alle Norme/Specifiche tecniche:

EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-2-22:2022
EN 60598-2-2:2012
Limitazioni ENEC all. B

Standards / Technical specifications

Product/s complying to Standards/Technical specifications:

EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-2-22:2022
EN 60598-2-2:2012
ENEC Limitation encl. B

Rapporti | Test Reports

AI22-0083871-01; AI24-0104662-05

Caratteristiche tecniche | Technical characteristics

<i>Tensione nominale Rated voltage</i>	220/240 V
<i>Grado di protezione Degree of protection (IP)</i>	IP20/IP43
<i>Tipo di installazione Type of installation</i>	plafone / ceiling
<i>Classificazione del materiale del piano di appoggio Classification according to material of supporting surface</i>	normalmente infiammabile / normally flammable
<i>Classe di isolamento Degree of protection (class)</i>	II
<i>Tipo di servizio Type of operation</i>	permanente centralizzato / maintained centrally supplied
<i>Serie Series</i>	CRYSTAL
<i>Gruppo di rischio Risk group</i>	RG1

Articoli (con dettagli) | Articles (with details)

AR.X003FF

<i>Marca Trade mark</i>	iGuzzini
<i>N.lampada/Pn No. of lamps/Rated wattage</i>	10,9 W (2x(36x0,13 W/LED))
<i>Attacco lamp./tipo Lamp cap/type</i>	LED Warm White 3000K CRI80
<i>Flusso in emergenza/autonomia Emergency lumen/duration</i>	1486 lm
<i>Rif. di tipo Type ref.</i>	RD02
<i>Rif. a cat. Cat. ref.</i>	RD02.83
<i>Flusso in ordinario Permanent lumen</i>	1486 lm



AR.X003FG

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1602 lm**
Rif. di tipo | Type ref. **RD02**
Rif. a cat. | Cat. ref. **RD02.D8**
Flusso in ordinario | Permanent lumen **1602 lm**

AR.X003ZH

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **12,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1471 lm**
Rif. di tipo | Type ref. **RD05**
Rif. a cat. | Cat. ref. **RD05.83**
Flusso in ordinario | Permanent lumen **1471 lm**

AR.X003ZI

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **12,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1585 lm**
Rif. di tipo | Type ref. **RD05**
Rif. a cat. | Cat. ref. **RD05.D8**
Flusso in ordinario | Permanent lumen **1585 lm**

AR.X003ZJ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2734 lm**
Rif. di tipo | Type ref. **RD08**
Rif. a cat. | Cat. ref. **RD08.83**
Flusso in ordinario | Permanent lumen **2734 lm**

AR.X003ZK

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2947 lm**
Rif. di tipo | Type ref. **RD08**
Rif. a cat. | Cat. ref. **RD08.D8**
Flusso in ordinario | Permanent lumen **2947 lm**

AR.X003ZL

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2749 lm**
Rif. di tipo | Type ref. **RD11**
Rif. a cat. | Cat. ref. **RD11.83**
Flusso in ordinario | Permanent lumen **2749 lm**

AR.X003ZM

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RD11**
Rif. a cat. | Cat. ref. **RD11.D8**
Flusso in ordinario | Permanent lumen **2963 lm**



AR.X003ZN

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1486 lm**
Rif. di tipo | Type ref. **RD14**
Rif. a cat. | Cat. ref. **RD14.83**
Flusso in ordinario | Permanent lumen **1486 lm**

AR.X003ZO

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1602 lm**
Rif. di tipo | Type ref. **RD14**
Rif. a cat. | Cat. ref. **RD14.D8**
Flusso in ordinario | Permanent lumen **1602 lm**

AR.X003ZP

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1471 lm**
Rif. di tipo | Type ref. **RD17**
Rif. a cat. | Cat. ref. **RD17.83**
Flusso in ordinario | Permanent lumen **1471 lm**

AR.X003ZQ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1585 lm**
Rif. di tipo | Type ref. **RD17**
Rif. a cat. | Cat. ref. **RD17.D8**
Flusso in ordinario | Permanent lumen **1585 lm**

AR.X003ZR

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2734 lm**
Rif. di tipo | Type ref. **RD20**
Rif. a cat. | Cat. ref. **RD20.83**
Flusso in ordinario | Permanent lumen **2734 lm**

AR.X003ZS

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2947 lm**
Rif. di tipo | Type ref. **RD20**
Rif. a cat. | Cat. ref. **RD20.D8**
Flusso in ordinario | Permanent lumen **2947 lm**

AR.X003ZT

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2749 lm**
Rif. di tipo | Type ref. **RD23**
Rif. a cat. | Cat. ref. **RD23.83**
Flusso in ordinario | Permanent lumen **2749 lm**



AR.X003ZU

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RD23**
Rif. a cat. | Cat. ref. **RD23.D8**
Flusso in ordinario | Permanent lumen **2963 lm**

AR.X003ZV

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,4 W (2x(36x0,12 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1486 lm**
Rif. di tipo | Type ref. **RD26**
Rif. a cat. | Cat. ref. **RD26.83**
Flusso in ordinario | Permanent lumen **1486 lm**

AR.X003ZW

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,4 W (2x(36x0,12 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1602 lm**
Rif. di tipo | Type ref. **RD26**
Rif. a cat. | Cat. ref. **RD26.D8**
Flusso in ordinario | Permanent lumen **1602 lm**

AR.X003ZX

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,3 W (2x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1478 lm**
Rif. di tipo | Type ref. **RD29**
Rif. a cat. | Cat. ref. **RD29.83**
Flusso in ordinario | Permanent lumen **1478 lm**

AR.X003ZY

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,3 W (2x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1594 lm**
Rif. di tipo | Type ref. **RD29**
Rif. a cat. | Cat. ref. **RD29.D8**
Flusso in ordinario | Permanent lumen **1594 lm**

AR.X003ZZ

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2471 lm**
Rif. di tipo | Type ref. **RD32**
Rif. a cat. | Cat. ref. **RD32.83**
Flusso in ordinario | Permanent lumen **2471 lm**

AR.X00400

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2955 lm**
Rif. di tipo | Type ref. **RD32**
Rif. a cat. | Cat. ref. **RD32.D8**
Flusso in ordinario | Permanent lumen **2955 lm**



AR.X00401

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2749 lm**
Rif. di tipo | Type ref. **RD35**
Rif. a cat. | Cat. ref. **RD35.83**
Flusso in ordinario | Permanent lumen **2749 lm**

AR.X00402

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RD35**
Rif. a cat. | Cat. ref. **RD35.D8**
Flusso in ordinario | Permanent lumen **2963 lm**

AR.X00403

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2698 lm**
Rif. di tipo | Type ref. **RE62**
Rif. a cat. | Cat. ref. **RE62.83**
Flusso in ordinario | Permanent lumen **2698 lm**

AR.X00404

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2840 lm**
Rif. di tipo | Type ref. **RE62**
Rif. a cat. | Cat. ref. **RE62.D8**
Flusso in ordinario | Permanent lumen **2840 lm**

AR.X00405

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RE64**
Rif. a cat. | Cat. ref. **RE64.83**
Flusso in ordinario | Permanent lumen **2713 lm**

AR.X00406

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RE64**
Rif. a cat. | Cat. ref. **RE64.D8**
Flusso in ordinario | Permanent lumen **2856 lm**

AR.X0040A

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2698 lm**
Rif. di tipo | Type ref. **RE66**
Rif. a cat. | Cat. ref. **RE66.83**
Flusso in ordinario | Permanent lumen **2698 lm**



AR.X0040B

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2840 lm**
Rif. di tipo | Type ref. **RE66**
Rif. a cat. | Cat. ref. **RE66.D8**
Flusso in ordinario | Permanent lumen **2840 lm**

AR.X0040C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RE68**
Rif. a cat. | Cat. ref. **RE68.83**
Flusso in ordinario | Permanent lumen **2713 lm**

AR.X0040D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RE68**
Rif. a cat. | Cat. ref. **RE68.D8**
Flusso in ordinario | Permanent lumen **2856 lm**

AR.X0040E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2706 lm**
Rif. di tipo | Type ref. **RE70**
Rif. a cat. | Cat. ref. **RE70.83**
Flusso in ordinario | Permanent lumen **2706 lm**

AR.X0040F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2848 lm**
Rif. di tipo | Type ref. **RE70**
Rif. a cat. | Cat. ref. **RE70.D8**
Flusso in ordinario | Permanent lumen **2848 lm**

AR.X0040G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RE72**
Rif. a cat. | Cat. ref. **RE72.83**
Flusso in ordinario | Permanent lumen **2713 lm**

AR.X0040H

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RE72**
Rif. a cat. | Cat. ref. **RE72.D8**
Flusso in ordinario | Permanent lumen **2856 lm**



AR.X0040I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2218 lm**
Rif. di tipo | Type ref. **RD03**
Rif. a cat. | Cat. ref. **RD03.83**
Flusso in ordinario | Permanent lumen **2218 lm**

AR.X0040J

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2390 lm**
Rif. di tipo | Type ref. **RD03**
Rif. a cat. | Cat. ref. **RD03.D8**
Flusso in ordinario | Permanent lumen **2390 lm**

AR.X0040K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2187 lm**
Rif. di tipo | Type ref. **RD06**
Rif. a cat. | Cat. ref. **RD06.83**
Flusso in ordinario | Permanent lumen **2187 lm**

AR.X0040L

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2357 lm**
Rif. di tipo | Type ref. **RD06**
Rif. a cat. | Cat. ref. **RD06.D8**
Flusso in ordinario | Permanent lumen **2357 lm**

AR.X0040M

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RD09**
Rif. a cat. | Cat. ref. **RD09.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR.X0040N

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RD09**
Rif. a cat. | Cat. ref. **RD09.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR.X0040O

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4127 lm**
Rif. di tipo | Type ref. **RD12**
Rif. a cat. | Cat. ref. **RD12.83**
Flusso in ordinario | Permanent lumen **4127 lm**



AR.X0040P

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4449 lm**
Rif. di tipo | Type ref. **RD12**
Rif. a cat. | Cat. ref. **RD12.D8**
Flusso in ordinario | Permanent lumen **4449 lm**

AR.X0040Q

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2218 lm**
Rif. di tipo | Type ref. **RD15**
Rif. a cat. | Cat. ref. **RD15.83**
Flusso in ordinario | Permanent lumen **2218 lm**

AR.X0040R

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2390 lm**
Rif. di tipo | Type ref. **RD15**
Rif. a cat. | Cat. ref. **RD15.D8**
Flusso in ordinario | Permanent lumen **2390 lm**

AR.X0040S

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2187 lm**
Rif. di tipo | Type ref. **RD18**
Rif. a cat. | Cat. ref. **RD18.83**
Flusso in ordinario | Permanent lumen **2187 lm**

AR.X0040T

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2357 lm**
Rif. di tipo | Type ref. **RD18**
Rif. a cat. | Cat. ref. **RD18.D8**
Flusso in ordinario | Permanent lumen **2357 lm**

AR.X0040U

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RD21**
Rif. a cat. | Cat. ref. **RD21.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR.X0040V

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RD21**
Rif. a cat. | Cat. ref. **RD21.D8**
Flusso in ordinario | Permanent lumen **4441 lm**



AR.X0040W

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4127 lm**
Rif. di tipo | Type ref. **RD24**
Rif. a cat. | Cat. ref. **RD24.83**
Flusso in ordinario | Permanent lumen **4127 lm**

AR.X0040X

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4449 lm**
Rif. di tipo | Type ref. **RD24**
Rif. a cat. | Cat. ref. **RD24.D8**
Flusso in ordinario | Permanent lumen **4449 lm**

AR.X0040Y

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **14,9 W (3x(36x0,12 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2202 lm**
Rif. di tipo | Type ref. **RD27**
Rif. a cat. | Cat. ref. **RD27.83**
Flusso in ordinario | Permanent lumen **2202 lm**

AR.X0040Z

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **14,9 W (3x(36x0,12 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2374 lm**
Rif. di tipo | Type ref. **RD27**
Rif. a cat. | Cat. ref. **RD27.D8**
Flusso in ordinario | Permanent lumen **2374 lm**

AR.X00410

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **17,7 W (3x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2202 lm**
Rif. di tipo | Type ref. **RD30**
Rif. a cat. | Cat. ref. **RD30.83**
Flusso in ordinario | Permanent lumen **2202 lm**

AR.X00411

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **17,7 W (3x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2374 lm**
Rif. di tipo | Type ref. **RD30**
Rif. a cat. | Cat. ref. **RD30.D8**
Flusso in ordinario | Permanent lumen **2374 lm**

AR.X00412

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RD33**
Rif. a cat. | Cat. ref. **RD33.83**
Flusso in ordinario | Permanent lumen **4120 lm**



AR.X00413

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RD33**
Rif. a cat. | Cat. ref. **RD33.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR.X00414

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RD36**
Rif. a cat. | Cat. ref. **RD36.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR.X00415

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RD36**
Rif. a cat. | Cat. ref. **RD36.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR.Y0082S

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RE05**
Rif. a cat. | Cat. ref. **RE05.D8**
Flusso in ordinario | Permanent lumen **4093 lm**

AR.Y0082T

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RE05**
Rif. a cat. | Cat. ref. **RE05.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR.Y0082U

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RE02**
Rif. a cat. | Cat. ref. **RE02.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR.Y0082V

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RE02**
Rif. a cat. | Cat. ref. **RE02.D8**
Flusso in ordinario | Permanent lumen **4093 lm**



AR.Y0082W

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **3779 lm**
Rif. di tipo | Type ref. **RD99**
Rif. a cat. | Cat. ref. **RD99.83**
Flusso in ordinario | Permanent lumen **3779 lm**

AR.Y0082X

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4100 lm**
Rif. di tipo | Type ref. **RD99**
Rif. a cat. | Cat. ref. **RD99.D8**
Flusso in ordinario | Permanent lumen **4100 lm**

AR.Y0082Y

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RD96**
Rif. a cat. | Cat. ref. **RD96.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR.Y0082Z

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RD96**
Rif. a cat. | Cat. ref. **RD96.D8**
Flusso in ordinario | Permanent lumen **4093 lm**

AR.Y00830

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **3779 lm**
Rif. di tipo | Type ref. **RD93**
Rif. a cat. | Cat. ref. **RD93.83**
Flusso in ordinario | Permanent lumen **3779 lm**

AR.Y00831

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4100 lm**
Rif. di tipo | Type ref. **RD93**
Rif. a cat. | Cat. ref. **RD93.D8**
Flusso in ordinario | Permanent lumen **4100 lm**

AR.Y00832

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RD90**
Rif. a cat. | Cat. ref. **RD90.83**
Flusso in ordinario | Permanent lumen **3772 lm**



AR: Y00833

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RD90**
Rif. a cat. | Cat. ref. **RD90.D8**
Flusso in ordinario | Permanent lumen **4093 lm**

AR: Y00834

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2517 lm**
Rif. di tipo | Type ref. **RE04**
Rif. a cat. | Cat. ref. **RE04.83**
Flusso in ordinario | Permanent lumen **2517 lm**

AR: Y00835

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2731 lm**
Rif. di tipo | Type ref. **RE04**
Rif. a cat. | Cat. ref. **RE04.D8**
Flusso in ordinario | Permanent lumen **2731 lm**

AR: Y00836

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2510 lm**
Rif. di tipo | Type ref. **RE01**
Rif. a cat. | Cat. ref. **RE01.83**
Flusso in ordinario | Permanent lumen **2510 lm**

AR: Y00837

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2723 lm**
Rif. di tipo | Type ref. **RE01**
Rif. a cat. | Cat. ref. **RE01.D8**
Flusso in ordinario | Permanent lumen **2723 lm**

AR: Y00838

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2517 lm**
Rif. di tipo | Type ref. **RD98**
Rif. a cat. | Cat. ref. **RD98.83**
Flusso in ordinario | Permanent lumen **2517 lm**

AR: Y00839

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2731 lm**
Rif. di tipo | Type ref. **RD98**
Rif. a cat. | Cat. ref. **RD98.D8**
Flusso in ordinario | Permanent lumen **2731 lm**



AR.Y0083A

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2503 lm**
Rif. di tipo | Type ref. **RD95**
Rif. a cat. | Cat. ref. **RD95.83**
Flusso in ordinario | Permanent lumen **2503 lm**

AR.Y0083B

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2716 lm**
Rif. di tipo | Type ref. **RD95**
Rif. a cat. | Cat. ref. **RD95.D8**
Flusso in ordinario | Permanent lumen **2716 lm**

AR.Y0083C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2517 lm**
Rif. di tipo | Type ref. **RD92**
Rif. a cat. | Cat. ref. **RD92.83**
Flusso in ordinario | Permanent lumen **2517 lm**

AR.Y0083D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2731 lm**
Rif. di tipo | Type ref. **RD92**
Rif. a cat. | Cat. ref. **RD92.D8**
Flusso in ordinario | Permanent lumen **2731 lm**

AR.Y0083E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2503 lm**
Rif. di tipo | Type ref. **RD89**
Rif. a cat. | Cat. ref. **RD89.83**
Flusso in ordinario | Permanent lumen **2503 lm**

AR.Y0083F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency
lumen/duration **2716 lm**
Rif. di tipo | Type ref. **RD89**
Rif. a cat. | Cat. ref. **RD89.D8**
Flusso in ordinario | Permanent lumen **2716 lm**

AR.Y0084C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency
lumen/duration **1486 lm**
Rif. di tipo | Type ref. **RH00**
Rif. a cat. | Cat. ref. **RH00.83**
Flusso in ordinario | Permanent lumen **1486 lm**



AR.Y0084D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **1602 lm**
Rif. di tipo | Type ref. **RH00**
Rif. a cat. | Cat. ref. **RH00.D8**
Flusso in ordinario | Permanent lumen **1602 lm**

AR.Y0084E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2218 lm**
Rif. di tipo | Type ref. **RH01**
Rif. a cat. | Cat. ref. **RH01.83**
Flusso in ordinario | Permanent lumen **2218 lm**

AR.Y0084F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2390 lm**
Rif. di tipo | Type ref. **RH01**
Rif. a cat. | Cat. ref. **RH01.D8**
Flusso in ordinario | Permanent lumen **2390 lm**

AR.Y0084G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **12,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1471 lm**
Rif. di tipo | Type ref. **RH03**
Rif. a cat. | Cat. ref. **RH03.83**
Flusso in ordinario | Permanent lumen **1471 lm**

AR.Y0084H

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **12,9 W (2x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1585 lm**
Rif. di tipo | Type ref. **RH03**
Rif. a cat. | Cat. ref. **RH03.D8**
Flusso in ordinario | Permanent lumen **1585 lm**

AR.Y0084I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2187 lm**
Rif. di tipo | Type ref. **RH04**
Rif. a cat. | Cat. ref. **RH04.83**
Flusso in ordinario | Permanent lumen **2187 lm**

AR.Y0084J

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2357 lm**
Rif. di tipo | Type ref. **RH04**
Rif. a cat. | Cat. ref. **RH04.D8**
Flusso in ordinario | Permanent lumen **2357 lm**



AR.Y0084K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2734 lm**
Rif. di tipo | Type ref. **RH06**
Rif. a cat. | Cat. ref. **RH06.83**
Flusso in ordinario | Permanent lumen **2734 lm**

AR.Y0084L

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2947 lm**
Rif. di tipo | Type ref. **RH06**
Rif. a cat. | Cat. ref. **RH06.D8**
Flusso in ordinario | Permanent lumen **2947 lm**

AR.Y0084M

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RH07**
Rif. a cat. | Cat. ref. **RH07.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR.Y0084N

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RH07**
Rif. a cat. | Cat. ref. **RH07.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR.Y0084P

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2749 lm**
Rif. di tipo | Type ref. **RH09**
Rif. a cat. | Cat. ref. **RH09.83**
Flusso in ordinario | Permanent lumen **2749 lm**

AR.Y0084O

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RH09**
Rif. a cat. | Cat. ref. **RH09.D8**
Flusso in ordinario | Permanent lumen **2963 lm**

AR.Y0084Q

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4127 lm**
Rif. di tipo | Type ref. **RH10**
Rif. a cat. | Cat. ref. **RH10.83**
Flusso in ordinario | Permanent lumen **4127 lm**



AR.Y0084R

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**

Flusso in emergenza/autonomia | Emergency lumen/duration **4449 lm**

Rif. di tipo | Type ref. **RH10**

Rif. a cat. | Cat. ref. **RH10.D8**

Flusso in ordinario | Permanent lumen **4449 lm**

AR.Y0084S

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**

Flusso in emergenza/autonomia | Emergency lumen/duration **1602 lm**

Rif. di tipo | Type ref. **RH12**

Rif. a cat. | Cat. ref. **RH12.D8**

Flusso in ordinario | Permanent lumen **1602 lm**

AR.Y0084T

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,13 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**

Flusso in emergenza/autonomia | Emergency lumen/duration **1486 lm**

Rif. di tipo | Type ref. **RH12**

Rif. a cat. | Cat. ref. **RH12.83**

Flusso in ordinario | Permanent lumen **1486 lm**

AR.Y0084U

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**

Flusso in emergenza/autonomia | Emergency lumen/duration **2390 lm**

Rif. di tipo | Type ref. **RH13**

Rif. a cat. | Cat. ref. **RH13.D8**

Flusso in ordinario | Permanent lumen **2390 lm**

AR.Y0084V

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **15,7 W (3x(36x0,13 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**

Flusso in emergenza/autonomia | Emergency lumen/duration **2218 lm**

Rif. di tipo | Type ref. **RH13**

Rif. a cat. | Cat. ref. **RH13.83**

Flusso in ordinario | Permanent lumen **2218 lm**

AR.Y0084W

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,16 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**

Flusso in emergenza/autonomia | Emergency lumen/duration **1471 lm**

Rif. di tipo | Type ref. **RH15**

Rif. a cat. | Cat. ref. **RH15.83**

Flusso in ordinario | Permanent lumen **1471 lm**

AR.Y0084X

Marca | Trade mark **iGuzzini**

N.lampada/Pn | No. of lamps/Rated wattage **10,9 W (2x(36x0,16 W/LED))**

Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**

Flusso in emergenza/autonomia | Emergency lumen/duration **1585 lm**

Rif. di tipo | Type ref. **RH15**

Rif. a cat. | Cat. ref. **RH15.D8**

Flusso in ordinario | Permanent lumen **1585 lm**



AR.Y0084Y

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2187 lm**
Rif. di tipo | Type ref. **RH16**
Rif. a cat. | Cat. ref. **RH16.83**
Flusso in ordinario | Permanent lumen **2187 lm**

AR.Y0084Z

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **18,8 W (3x(36x0,16 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2357 lm**
Rif. di tipo | Type ref. **RH16**
Rif. a cat. | Cat. ref. **RH16.D8**
Flusso in ordinario | Permanent lumen **2357 lm**

AR.Y00850

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2947 lm**
Rif. di tipo | Type ref. **RH18**
Rif. a cat. | Cat. ref. **RH18.D8**
Flusso in ordinario | Permanent lumen **2947 lm**

AR.Y00851

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2734 lm**
Rif. di tipo | Type ref. **RH18**
Rif. a cat. | Cat. ref. **RH18.83**
Flusso in ordinario | Permanent lumen **2734 lm**

AR.Y00852

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RH19**
Rif. a cat. | Cat. ref. **RH19.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR.Y00853

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RH19**
Rif. a cat. | Cat. ref. **RH19.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR.Y00855

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RH21**
Rif. a cat. | Cat. ref. **RH21.D8**
Flusso in ordinario | Permanent lumen **2963 lm**



CA04.10414

SN.X00011

AR: Y00854

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

24,7 W (2x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

2749 lm

Rif. di tipo | Type ref.

RH21

Rif. a cat. | Cat. ref.

RH21.83

Flusso in ordinario | Permanent lumen

2749 lm

AR: Y00856

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

36,9 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

4449 lm

Rif. di tipo | Type ref.

RH22

Rif. a cat. | Cat. ref.

RH22.D8

Flusso in ordinario | Permanent lumen

4449 lm

AR: Y00857

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

36,9 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

4127 lm

Rif. di tipo | Type ref.

RH22

Rif. a cat. | Cat. ref.

RH22.83

Flusso in ordinario | Permanent lumen

4127 lm

AR: Y00858

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

10,4 W (2x(36x0,12 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Neutral White 4000K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

1602 lm

Rif. di tipo | Type ref.

RH24

Rif. a cat. | Cat. ref.

RH24.D8

Flusso in ordinario | Permanent lumen

1602 lm

AR: Y00859

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

10,4 W (2x(36x0,12 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Neutral White 4000K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

1486 lm

Rif. di tipo | Type ref.

RH24

Rif. a cat. | Cat. ref.

RH24.83

Flusso in ordinario | Permanent lumen

1486 lm

AR: Y0085A

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

14,9 W (3x(36x0,12 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Neutral White 4000K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

2202 lm

Rif. di tipo | Type ref.

RH25

Rif. a cat. | Cat. ref.

RH25.83

Flusso in ordinario | Permanent lumen

2202 lm

AR: Y0085B

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

14,9 W (3x(36x0,12 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Neutral White 4000K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

2374 lm

Rif. di tipo | Type ref.

RH25

Rif. a cat. | Cat. ref.

RH25.D8

Flusso in ordinario | Permanent lumen

2374 lm

18/26



AR.Y0085C

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,3 W (2x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1478 lm**
Rif. di tipo | Type ref. **RH27**
Rif. a cat. | Cat. ref. **RH27.83**
Flusso in ordinario | Permanent lumen **1478 lm**

AR.Y0085D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **10,3 W (2x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **1594 lm**
Rif. di tipo | Type ref. **RH27**
Rif. a cat. | Cat. ref. **RH27.D8**
Flusso in ordinario | Permanent lumen **1594 lm**

AR.Y0085E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **17,7 W (3x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2374 lm**
Rif. di tipo | Type ref. **RH28**
Rif. a cat. | Cat. ref. **RH28.D8**
Flusso in ordinario | Permanent lumen **2374 lm**

AR.Y0085F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **17,7 W (3x(36x0,15 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2202 lm**
Rif. di tipo | Type ref. **RH28**
Rif. a cat. | Cat. ref. **RH28.83**
Flusso in ordinario | Permanent lumen **2202 lm**

AR.Y0085G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2471 lm**
Rif. di tipo | Type ref. **RH30**
Rif. a cat. | Cat. ref. **RH30.83**
Flusso in ordinario | Permanent lumen **2471 lm**

AR.Y0085H

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2955 lm**
Rif. di tipo | Type ref. **RH30**
Rif. a cat. | Cat. ref. **RH30.D8**
Flusso in ordinario | Permanent lumen **2955 lm**

AR.Y0085I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RH31**
Rif. a cat. | Cat. ref. **RH31.83**
Flusso in ordinario | Permanent lumen **4120 lm**



IMQ S.p.A. - Società con Socio Unico
I20138 Milano - via Quintiliano, 43
tel. 0250731 (r.a.)
e-mail: info@imq.it - www.imq.it

Rea Milano 1595884
Registro Imprese Milano 12898410159
C.F./P.I. 12898410159
Capitale Sociale € 4.000.000

CA04.10414

SN.X00011

AR: Y0085J

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RH31**
Rif. a cat. | Cat. ref. **RH31.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR: Y0085K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2749 lm**
Rif. di tipo | Type ref. **RH33**
Rif. a cat. | Cat. ref. **RH33.83**
Flusso in ordinario | Permanent lumen **2749 lm**

AR: Y0085L

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2963 lm**
Rif. di tipo | Type ref. **RH33**
Rif. a cat. | Cat. ref. **RH33.D8**
Flusso in ordinario | Permanent lumen **2963 lm**

AR: Y0085M

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4120 lm**
Rif. di tipo | Type ref. **RH34**
Rif. a cat. | Cat. ref. **RH34.83**
Flusso in ordinario | Permanent lumen **4120 lm**

AR: Y0085N

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4441 lm**
Rif. di tipo | Type ref. **RH34**
Rif. a cat. | Cat. ref. **RH34.D8**
Flusso in ordinario | Permanent lumen **4441 lm**

AR: Y0085P

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2716 lm**
Rif. di tipo | Type ref. **RH87**
Rif. a cat. | Cat. ref. **RH87.D8**
Flusso in ordinario | Permanent lumen **2716 lm**

AR: Y0085O

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2503 lm**
Rif. di tipo | Type ref. **RH87**
Rif. a cat. | Cat. ref. **RH87.83**
Flusso in ordinario | Permanent lumen **2503 lm**



AR: Y0085Q

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RH88**
Rif. a cat. | Cat. ref. **RH88.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR: Y0085R

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **30,1 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RH88**
Rif. a cat. | Cat. ref. **RH88.D8**
Flusso in ordinario | Permanent lumen **4093 lm**

AR: Y00861

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2731 lm**
Rif. di tipo | Type ref. **RH90**
Rif. a cat. | Cat. ref. **RH90.D8**
Flusso in ordinario | Permanent lumen **2731 lm**

AR: Y00862

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2517 lm**
Rif. di tipo | Type ref. **RH90**
Rif. a cat. | Cat. ref. **RH90.83**
Flusso in ordinario | Permanent lumen **2517 lm**

AR: Y00863

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4100 lm**
Rif. di tipo | Type ref. **RH91**
Rif. a cat. | Cat. ref. **RH91.D8**
Flusso in ordinario | Permanent lumen **4100 lm**

AR: Y00864

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **36,9 W (3x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **3779 lm**
Rif. di tipo | Type ref. **RH91**
Rif. a cat. | Cat. ref. **RH91.83**
Flusso in ordinario | Permanent lumen **3779 lm**

AR: Y00865

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (3x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2716 lm**
Rif. di tipo | Type ref. **RH93**
Rif. a cat. | Cat. ref. **RH93.D8**
Flusso in ordinario | Permanent lumen **2716 lm**



CA04.10414

SN.X00011

AR: Y00866

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

20,4 W (3x(36x0,25 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

2503 lm

Rif. di tipo | Type ref.

RH93

Rif. a cat. | Cat. ref.

RH93.83

Flusso in ordinario | Permanent lumen

2503 lm

AR: Y00867

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

30,1 W (3x(36x0,25 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

4093 lm

Rif. di tipo | Type ref.

RH94

Rif. a cat. | Cat. ref.

RH94.D8

Flusso in ordinario | Permanent lumen

4093 lm

AR: Y00868

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

30,1 W (3x(36x0,25 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI80

Flusso in emergenza/autonomia | Emergency lumen/duration

3772 lm

Rif. di tipo | Type ref.

RH94

Rif. a cat. | Cat. ref.

RH94.83

Flusso in ordinario | Permanent lumen

3772 lm

AR: Y00869

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

24,7 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

2517 lm

Rif. di tipo | Type ref.

RH96

Rif. a cat. | Cat. ref.

RH96.83

Flusso in ordinario | Permanent lumen

2517 lm

AR: Y0086A

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

24,7 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

2731 lm

Rif. di tipo | Type ref.

RH96

Rif. a cat. | Cat. ref.

RH96.D8

Flusso in ordinario | Permanent lumen

2731 lm

AR: Y0086B

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

36,9 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

4100 lm

Rif. di tipo | Type ref.

RH97

Rif. a cat. | Cat. ref.

RH97.D8

Flusso in ordinario | Permanent lumen

4100 lm

AR: Y0086C

Marca | Trade mark

iGuzzini

N.lampada/Pn | No. of lamps/Rated wattage

36,9 W (3x(36x0,31 W/LED))

Attacco lamp./tipo | Lamp cap/type

LED Warm White 3500K CRI90

Flusso in emergenza/autonomia | Emergency lumen/duration

3779 lm

Rif. di tipo | Type ref.

RH97

Rif. a cat. | Cat. ref.

RH97.83

Flusso in ordinario | Permanent lumen

3779 lm

22/26



AR.Y0086D

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2510 lm**
Rif. di tipo | Type ref. **RH99**
Rif. a cat. | Cat. ref. **RH99.83**
Flusso in ordinario | Permanent lumen **2510 lm**

AR.Y0086E

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2723 lm**
Rif. di tipo | Type ref. **RH99**
Rif. a cat. | Cat. ref. **RH99.D8**
Flusso in ordinario | Permanent lumen **2723 lm**

AR.Y0086F

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RI00**
Rif. a cat. | Cat. ref. **RI00.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR.Y0086G

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **28,4 W (3x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RI00**
Rif. a cat. | Cat. ref. **RI00.D8**
Flusso in ordinario | Permanent lumen **4093 lm**

AR.Y0086H

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2517 lm**
Rif. di tipo | Type ref. **RI02**
Rif. a cat. | Cat. ref. **RI02.83**
Flusso in ordinario | Permanent lumen **2517 lm**

AR.Y0086I

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2731 lm**
Rif. di tipo | Type ref. **RI02**
Rif. a cat. | Cat. ref. **RI02.D8**
Flusso in ordinario | Permanent lumen **2731 lm**

AR.Y0086J

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **4093 lm**
Rif. di tipo | Type ref. **RI03**
Rif. a cat. | Cat. ref. **RI03.D8**
Flusso in ordinario | Permanent lumen **4093 lm**



AR.Y0086K

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **34,3 W (3x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **3772 lm**
Rif. di tipo | Type ref. **RI03**
Rif. a cat. | Cat. ref. **RI03.83**
Flusso in ordinario | Permanent lumen **3772 lm**

AR.Y0086M

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2698 lm**
Rif. di tipo | Type ref. **RI08**
Rif. a cat. | Cat. ref. **RI08.83**
Flusso in ordinario | Permanent lumen **2698 lm**

AR.Y0086L

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2840 lm**
Rif. di tipo | Type ref. **RI08**
Rif. a cat. | Cat. ref. **RI08.D8**
Flusso in ordinario | Permanent lumen **2840 lm**

AR.Y0086N

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RI10**
Rif. a cat. | Cat. ref. **RI10.83**
Flusso in ordinario | Permanent lumen **2713 lm**

AR.Y0086O

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RI10**
Rif. a cat. | Cat. ref. **RI10.D8**
Flusso in ordinario | Permanent lumen **2856 lm**

AR.Y0086P

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2698 lm**
Rif. di tipo | Type ref. **RI12**
Rif. a cat. | Cat. ref. **RI12.83**
Flusso in ordinario | Permanent lumen **2698 lm**

AR.Y0086Q

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **20,4 W (2x(36x0,25 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2840 lm**
Rif. di tipo | Type ref. **RI12**
Rif. a cat. | Cat. ref. **RI12.D8**
Flusso in ordinario | Permanent lumen **2840 lm**



AR.Y0086S

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RI14**
Rif. a cat. | Cat. ref. **RI14.83**
Flusso in ordinario | Permanent lumen **2713 lm**

AR.Y0086R

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **24,7 W (2x(36x0,31 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Warm White 3500K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RI14**
Rif. a cat. | Cat. ref. **RI14.D8**
Flusso in ordinario | Permanent lumen **2856 lm**

AR.Y0086T

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2706 lm**
Rif. di tipo | Type ref. **RI16**
Rif. a cat. | Cat. ref. **RI16.83**
Flusso in ordinario | Permanent lumen **2706 lm**

AR.Y0086U

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **19,3 W (2x(36x0,24 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI80**
Flusso in emergenza/autonomia | Emergency lumen/duration **2848 lm**
Rif. di tipo | Type ref. **RI16**
Rif. a cat. | Cat. ref. **RI16.D8**
Flusso in ordinario | Permanent lumen **2848 lm**

AR.Y0086W

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2856 lm**
Rif. di tipo | Type ref. **RI18**
Rif. a cat. | Cat. ref. **RI18.D8**
Flusso in ordinario | Permanent lumen **2856 lm**

AR.Y0086V

Marca | Trade mark **iGuzzini**
N.lampada/Pn | No. of lamps/Rated wattage **23,1 W (2x(36x0,29 W/LED))**
Attacco lamp./tipo | Lamp cap/type **LED Neutral White 4000K CRI90**
Flusso in emergenza/autonomia | Emergency lumen/duration **2713 lm**
Rif. di tipo | Type ref. **RI18**
Rif. a cat. | Cat. ref. **RI18.83**
Flusso in ordinario | Permanent lumen **2713 lm**

Ulteriori informazioni | Additional Information

IP20 Parte incassata
IP43 Parte esterna

Lista dell'accessorio per gli apparecchi Serie CRYSTAL:
Rif. a Cat. PD54 Coppia di piastre di rinforzo per montaggio su pannelli modulari, per gli apparecchi RD03; RD06; RD09; RD12; RD15; RD18; RD21; RD24; RD27; RD30; RD33; RD36; RH01; RH04; RH07; RH10; RH13; RH16; RH19; RH22; RH25; RH28; RH31; RH34; RE05; RE02; RD99; RD96; RD93; RD90; RI03; RI00; RH97; RH94; RH91; RH88.

Apparecchi non idonei ad essere ricoperti di materiale termicamente isolante.



83= Nero trasparente
D8= Bianco trasparente

IP20 Recessed part
IP43 External part

List of accessory for luminaires Series CRYSTAL:

Cat. Ref. PD54 Pair of reinforcement plates for assembly on modular panels, for luminaires RD03; RD06; RD09; RD12; RD15; RD18; RD21; RD24; RD27; RD30; RD33; RD36; RH01; RH04; RH07; RH10; RH13; RH16; RH19; RH22; RH25; RH28; RH31; RH34; RE05; RE02; RD99; RD96; RD93; RD90; RI03; RI00; RH97; RH94; RH91; RH88.

Luminaires not suitable for covering with thermally insulating material.

83= Black transparent
D8= White transparent

Componenti | Component List

Vedere apposito elenco /See relevant annex

Emesso il | Issued on **2023-10-25**

Aggiornato il | Updated on **2025-01-30**

Sostituisce | Replaces **2023-10-25**

Diritti di concessione | Annual Fees

SN.X00011

BTZ.040100.DD23

Importo modelli ENEC - 0401 - Apparecchi di illuminazione e accessori | ENEC models - 0401 -
Luminaires

1