



Laser Blade XS “The Blade”
Made of Precision

02 Made of Precision
04 Inside architecture
08 An entire wall in your hand
10 Free your Blade

The E

Blade


Made of Precision

Precision made of light: captured and directed, light is freed and multiplied through a blade, The Blade.



Miniaturisation is not just a question of manufacturing ability. We have encapsulated optical mastery and innovative know-how in just 3/4". The light is aimed and maximised by a micro optical assembly that uses our patented Opti Beam technology. We construct the path of each ray emitted and optimise the position of every LED and its reflection on each angle of the reflector.

The sum of the individual rays guarantees maximum light uniformity by creating a sharp final effect with no colour flaws. The light source is also invisible, which guarantees excellent visual well-being. Every component and every detail is part of a sophisticated mechanism that is adjusted in-house by our team of designers who boast the same care and calm as master watchmakers.



Inside architecture


From Blade to circle,
light as project component.



Laser Blade created magic by generating a luminous circle from an invisible line. defies imagination and sets itself up as a new icon of miniaturisation and precision. A gem of precision that makes light an even more important design element that blends into architecture like never before and inspires new forms of expression by redefining the relationship between space, light and design. The Blade cuts into walls to free light from the thin, powerful groove it

slips into. Installation is rapid, simple and fast. We take intense care over every detail of the process and we design solutions that can adapt to any false ceiling thickness. Removable screens, extraction clips and fixture supports transform time into quality. We regard simplicity as standard. Now we can say that architecture is also light because Laser Blade XS brings together all the elements required to construct a new space that contains them.







Scale 1:1

1 1/8"

An entire wall in your hand

The smallest professional wall washer in the world is an absolute masterpiece of high precision illumination.



As thin as a blade, it transforms optic power into vertical precision: absolute uniformity from top to bottom. Technological innovation and latest generation LEDs together with material, optic and application research have allowed us to use every precious millimeter, eliminating everything superfluous. The Wall Washer version, unique thanks to its size and performance, presents an exclusive combination of patented reflectors and optic screens

that guarantee uniformity on vertical surfaces from the top to the bottom without any dark areas or scallop effects. Laser Blade XS Wall Washer has different lengths to accommodate different geometrical spaces. The result is invisible to the eyes, but not to the sight.

Scale 1:1




Free your Blade

Changing perceptions and opening new application opportunities where detail matters.



Laser Blade XS brings new sizes and new shapes, lines and squares, to interpret perceptive languages made of architecture for architecture. The Blade is in the detail and becomes exclusive detail.



- 15 Invisible source
- 16 Overview
- 18 Spec Guide

Laser

Blade

Laser Blade is a collection of forms and dimensions.
Visual comfort is its hallmark.





Laser Blade

Invisible source.

Laser Blade is an icon of innovation. It has revolutionised the concept of downlight. It is a linear product with a miniaturised optic that generates a circular emission with an extremely uniform and chromatic yield. The light source is invisible, resulting in absolute visual comfort. Laser Blade is the result of an integrated process of different disciplines, including light science, technology, design and culture.


Laser Blade is not a device but a system of continuous innovation. It is a step forward in terms of technology, size, colour and installation. Laser Blade becomes greater and more powerful. It is coloured too and can be completely hidden. Laser Blade shrinks in size to become The Blade. Everything changes except light. Absolutely comfortable, uniform and with an extremely high chromatic selection. Laser Blade is light in continuous evolution.



Overview

New Laser Blade XS "The Blade"

High Contrast
Trim / Trimless



135 lm 255 lm 395 lm



645 lm 1240 lm



1865 lm



510 lm 995 lm

Wall Washer
Trim / Trimless



155 lm



295 lm





530 lm



760 lm

New Laser Blade L

High Contrast
Trim / Trimless



835 lm



1755 lm



2675 lm

Laser Blade "The Original"

High Contrast
Trim / Trimless



155 lm 315 lm 765 lm




1525 lm



2290 lm

Wall Washer
Trim / Trimless



360 lm



715 lm



1075 lm

Adjustable
Trim / Trimless



660 lm

Wall Washer
Trim / Trimless



570 lm



1030 lm



1535 lm

General lighting
Trim



525 lm



1050 lm



1575 lm

Adjustable
Trim



2150 lm














2 x 2150 lm

Spec Guide

New Laser Blade XS "The Blade"

High Contrast

	W	lm	Optic	Size (inches)
	2,5	135	 24° 41°	Trim 1-1/8" x 1-1/8" Trimless 1" x 1"
	5	255	 24° 41°	Trim 1-1/8" x 1-7/8" Trimless 1" x 1-1/2"
	7,5	395	 24° 41°	Trim 1-1/8" x 2-1/2" Trimless 1" x 2-1/4"
	10	510	 36° 58°	Trim 1-7/8" x 1-7/8" Trimless 1-3/4" x 1-3/4"
	13	645	 24° 41° 58°	Trim 1-1/8" x 4" Trimless 1" x 3-5/8"
	19	995	 41° 58°	Trim 2-1/2" x 2-1/2" Trimless 2-1/2" x 2-1/2"
	23	1240	 24° 41° 58°	Trim 1-1/8" x 7-1/2" Trimless 1" x 7-1/4"
	34	1865	 24° 41° 58°	Trim 1-1/8" x 11" Trimless 1" x 10-3/4"

Colour temperature

2700K CRI 90
3000K CRI 90
3500K CRI 90
4000K CRI 90

UL Listed

Finishes



31 white



01 white/
black



02 black/
black



10 grey/
black



41 white/
gold



E7 white/
black
chrome



31 white



02 black



14 gold












E6 black
chrome

*Please consult the **specification sheet** for housing details and ceiling clearance.

New
Laser Blade XS "The Blade"

Wall Washer

			W	lm	Optic	Size (inches)
 <p>Trim Trimless</p>		7,5	155	 Wall Washer	Trim 1-1/8" x 2-1/2" Trimless 1" x 2-1/4"	
		13	295	 Wall Washer	Trim 1-1/8" x 4" Trimless 1" x 3-5/8"	
		23	530	 Wall Washer	Trim 1-1/8" x 7-1/2" Trimless 1" x 7-1/4"	
		34	760	 Wall Washer	Trim 1-1/8" x 11" Trimless 1" x 10-3/4"	

Colour temperature

2700K CRI 90
 3000K CRI 90
 3500K CRI 90

UL Listed

Finishes













*Please consult the **specification sheet** for housing details and ceiling clearance.

Spec Guide

Laser Blade "The Original"

High Contrast


	W	lm	Optic	Size (inches)
	4,3	155	 32°	Trim 1-3/4" x 1-3/4" Trimless 1-1/4" x 1-1/4"
	5,9	315	 32°	Trim 1-3/4" x 2-7/8" Trimless 1-1/4" x 2-1/4"
	13	765	 12° 32° 48°	Trim 1-3/4" x 5-7/8" Trimless 1-1/4" x 5-1/4"
	25,5	1525	 12° 32° 48°	Trim 1-3/4" x 11" Trimless 1-1/4" x 10-1/2"
	37	2290	 12° 32° 48°	Trim 1-3/4" x 16-1/4" Trimless 1-1/4" x 15-5/8"

Colour temperature

2700K CRI 95
3000K CRI 95
3000K CRI 90
3500K CRI 95
4000K CRI 95

UL Listed

Finishes









Palette program

The custom colours Palette program allows the customization of the baffle finish by selecting any of the 2000 Classic RAL colours (minimum quantity required).



Wall Washer

	W	lm	Optic	Size (inches)
	13	360	 Wall Washer	Trim 1-3/4" x 5-7/8" Trimless 1-1/4" x 5-1/4"
	25,5	715	 Wall Washer	Trim 1-3/4" x 11" Trimless 1-1/4" x 10-3/8"
	37	1075	 Wall Washer	Trim 1-3/4" x 16-1/4" Trimless 1-1/4" x 15" 5/8"

Colour temperature

2700K CRI 95
3000K CRI 90
3500K CRI 95
4000K CRI 95

UL Listed








Finishes



*Please consult the **specification sheet** for housing details and ceiling clearance.

Laser Blade "The Original"

General Lighting

		W	lm	Optic	Size	"(inches)
 Trim		13	525	 General Lighting	Trim	1-3/4" x 5-7/8"
		25,5	1050	 General Lighting	Trim	1-3/4" x 11"
		37	1575	 General Lighting	Trim	1-3/4" x 16-1/4"

Colour temperature







3000K CRI 90
4000K CRI 95

UL Listed

Finishes



Adjustable

		W	lm	Optic	Size	(inches)
 Single  Double		25,5	1490	 12° 32° 48°	Trim	3-3/8" x 11-7/8"
		2x25,5	2x1490	 12° 32° 48°	Trim	5-5/8" x 11-7/8"
		37	2150	 12° 32° 48°	Trim	3-3/8" x 17-1/8"
		2x37	2x2150	 12° 32° 48°	Trim	5-5/8" x 17-1/8"

Colour temperature

3000K CRI 90
3000K CRI 95
4000K CRI 95

UL Listed

Finishes











*Please consult the **specification sheet** for housing details and ceiling clearance.

Spec Guide

Laser Blade Large

High Contrast

			W	lm	Optic	Size (inches)
 Trim  Trimless		13W	835 lm	 24°  30°  54°	Trim 3-3/8" x 3-3/8" Trimless 2-7/8" x 2-7/8"	
		24W	1755 lm	 54°	Trim 3-3/8" x 6-1/8" Trimless 2-7/8" x 5-1/2"	
		36W	2675 lm	 54°	Trim 3-3/8" x 8-7/8" Trimless 2-7/8" x 8-1/4"	

Colour temperature






2700K CRI 90
3000K CRI 80
3000K CRI 90
3500K CRI 90
4000K CRI 80

UL Listed

Finishes



Adjustable

			W	lm	Optic	Size (inches)
 Trim  Trimless		13W	660 lm	 10°  24°  30°  50°	Trim 3-3/8" x 3-3/8" Trimless 2-7/8" x 2-7/8"	

Colour temperature







2700K CRI 90
3000K CRI 90
3500K CRI 90
4000K CRI 80

UL Listed

Finishes



Wall Washer

			W	lm	Optic	Size (inches)
 Trim  Trimless		13W	570 lm	 Wall Washer	Trim 3-3/8" x 3-3/8" Trimless 2-7/8" x 2-7/8"	
		24W	1030 lm	 Wall Washer	Trim 3-3/8" x 6-1/8" Trimless 2-7/8" x 5-1/2"	
		36W	1535 lm	 Wall Washer	Trim 3-3/8" x 8-7/8" Trimless 2-7/8" x 8-3/8"	

Colour temperature

2700K CRI 90
3000K CRI 90
3500K CRI 90
4000K CRI 80

UL Listed

Finishes



*Please consult the **specification sheet** for housing details and ceiling clearance.



iGuzzini Addresses

North American Headquarter

iGuzzini Lighting North America

9320 Boul. St-Laurent, Suite 100
Montréal, QC, CANADA H2N 1N7
Tel. 514 523 1339
Fax 514 525 6107
information@iguzzini-na.com

Sales Offices/Showrooms Canada/USA

Quebec office

6500 boul. Pierre-Bertrand, Suite 100
Quebec, Quebec, Canada, G2J 1R4
Tel. 418-476-0300
Fax 418-476-0184
information@iguzzini-na.com

Toronto office

383 Adelaide Street West
Toronto, ON, CANADA M5V 1S4
Tel. 416 408 3995
Fax 416 408 4269
information@iguzzini-na.com

Vancouver office

827 Powell Street
Vancouver, B.C., CANADA V6A 1H7
Tel. 604 215 1539
Fax 604 215 1548
information@iguzzini-na.com

iGuzzini Lighting USA, Ltd

60 Madison Avenue, 2nd floor
New York, NY 10010 - USA
Tel. (+1) 212 4818188
information@iguzzini-na.com

Global Headquarter

iGuzzini illuminazione spa

62019 Recanati, Italy
via Mariano Guzzini, 37
PO Box 56.75.103
Tel. (+39) 071.75881
Fax (+39) 071.7588295
iguzzini@iguzzini.it
www.iguzzini.com
video: (+39) 071.7588453

Credits

Graphic layout

iGuzzini

Still life photos

StudioBuschi.com

Rendering

GelfoDesign

