

PALCO FAMILY LOW VOLTAGE (48V)

WARNING:

THE SAFETY OF THIS FIXTURE IS GUARANTEED ONLY IF YOU COMPLY WITH THESE INSTRUCTIONS; REMEMBER TO CONSERVE IN A SAFE PLACE.

ATTENTION:

LA SÉCURITÉ DE L'APPAREIL N'EST GARANTIE QU'EN CAS D'UTILISATION CORRECTE DES INSTRUCTIONS SUIVANTES; IL FAUT PAR CONSÉQUENT LES CONSERVER.

ATTENCIÓN:

LA SEGURIDAD DEL APARATO SE GARANTIZA SOLO CUMPLIENDO CUIDADOSAMENTE LAS SIGUIENTES INSTRUCCIONES; ES NECESARIO CONSERVARLAS.

ATTENZIONE:

LA SICUREZZA DELL'APPARECCHIO È GARANTITA SOLO CON L'USO APPROPRIATO DELLE SEGUENTI ISTRUZIONI; PERTANTO È NECESSARIO CONSERVARLE.

EN INSTALL IN ACCORDANCE WITH NATIONAL ELECTRIC CODE, LOCAL AND FEDERAL CODE SPECIFICATION.

FR VEUILLEZ INSTALLER CE PRODUIT EN CONFORMITÉ AVEC LE CODE ÉLECTRIQUE NATIONAL ET LES SPÉCIFICATIONS DU CODE LOCAL ET FÉDÉRAL.

ES INSTALAR EL PRODUCTO RESPETANDO LAS NORMAS ELÉCTRICAS NACIONALES Y LAS ESPECIFICACIONES DE LAS NORMAS LOCALES Y FEDERALES.



IT SI PREGA DI INSTALLARE QUESTO CONFORMITÀ CON IL NATIONAL ELECTRICAL CODE E LE SPECIFICHE DEL CODICE LOCALE E FEDERALE.

EN N.B.: WHEN INSTALLING THE SYSTEM, STRICTLY COMPLY WITH ALL REGULATIONS ON INSTALLATION IN FORCE.

FR N.B.: LORS DE L'INSTALLATION DU SYSTÈME VEILLER RESPECTER RIGOREUSEMENT LES NORMES EN VIGUEUR EN LA MATIÈRE.

ES N.B.: DURANTE LA INSTALACIÓN DEL SISTEMA RESPECTAR E SCRUPULOSAMENTE LAS NORMAS DE INSTALACIÓN VIGENTES.

IT N.B.: DURANTE L'INSTALLAZIONE DEL SISTEMA RISPETTARE SCRUPOLOSAMENTE LE NORME IMPIANTISTICHE VIGENTI.




EN Correct product operation is only guaranteed if iGuzzini tracks and accessories are used.


FR Le fonctionnement des produits n'est garanti qu'en cas d'utilisation de rails et accessoires iGuzzini.

ES El funcionamiento de los productos se garantiza solamente si se utilizan raíles y accesorios iGuzzini.



IT Il funzionamento dei prodotti è garantito solo con l'utilizzo di binari ed accessori iGuzzini.





| OPTICS | PRODUCT | Ø | ART |
|-----------------|-------------------|-------------------|---|
| SPOT | SINGLE & DOUBLE A | ¾" (19mm) | IPLC-LV1-19-XXX-SP IPLC-SR1-19-XXX-SP Q622 - Q624 - QW88 - RL35 |
| | | 2 x ¾" (2 x 19mm) | IPLC-LV2-19-XXX-SP IPLC-SR2-19-XXX-SP Q626 - Q628 - QW90 - RL37 |
| | | 1½" (37mm) | IPLC-LV1-37-XXX-SP IPLC-SR1-37-XXX-SP Q630 - Q633 QW92 - RL39 |
| | | 2" (51mm) | IPLC-LV1-51-XXX-SP IPLC-SR1-51-XXX-SP Q636 - Q639 - QW95 - RL42 |
| MEDIUM | SIMPLE & DOUBLE A | ¾" (19mm) | IPLC-LV1-19-XXX-MD IPLC-SR1-19-XXX-MD Q623 - Q625 - QW89 - RL36 |
| | | 2 x ¾" (2 x 19mm) | IPLC-LV2-19-XXX-MD IPLC-SR2-19-XXX-MD Q627 - Q629 - QW91 - RL38 |
| | | 1½" (37mm) | IPLC-LV1-37-XXX-MD IPLC-SR1-37-XXX-MD Q631 - Q634 - QW93 - RL40 |
| | ON ROD D | ¾" (19mm) | IPLC-LVR-19-XXX-MD Q642 - Q643 - QX05 - RL45 |
| | | 1½" (37mm) | IPLC-LVR-37-XXX-MD Q644 - Q646 - QX06 - RL46 |
| | | 1½" (37mm) | IPLC-LV1-37-XXX-SP IPLC-SR1-37-XXX-SP Q637 - Q640 - QW96 - RL43 |
| WIDE FLOOD | SIMPLE A | 1½" (37mm) | IPLC-LV1-37-XXX-WF IPLC-SR1-37-XXX-WF Q632 - Q635 - QW94 - RL41 |
| | | ¾" (19mm) | IPLC-LV1-19-XXX-WF IPLC-SR1-19-XXX-WF Q638 - Q641 - QW97 - RL44 |
| | ON ROD D | 1½" (37mm) | IPLC-LVR-37-XXX-WF Q645 - Q647 - QX07 - RL47 |
| WALL WASHER | WALL WASHER B | 1½" (37mm) | IPLC-LV1-37-XXX-WW IPLC-SR1-37-XXX-WW Q652 - Q653 - QX09 - RL50 |
| SPOT WIDE FLOOD | BEAMER C | ¾" (19mm) | IPLC-LV1-19-XXX-BE IPLC-SR1-19-XXX-BE QW43 - QW44 - QW45 |




| | | | | | |
|--------------------------|------|--|--|-----------|------------------|
| A C | PB60 | | ITRD-SR-1.6 / QY73 ITRD-SR-3.3 / QY74 ITRD-SR-6.5 / QY75 ITRD-SR-9.8 / QY76 | OK | SUPERRAIL |
| B | PB61 | | | | |
| * A * C | PB60 | | ITRD-SR-1.6 / QY77 ITRD-SR-3.3 / QY78 ITRD-SR-6.5 / QY79 ITRD-SR-9.8 / QY80 | OK | |
| * B | PB61 | | | | |
| * FOR USE DOWN SIDE ONLY | | | | | |



A - B - C FIXTURE INSTALLATION





A - B - C FIXTURE REPOSITIONING





FOR SUPERRAIL, USE ADAPTER IPB60 OR IPB61. SEE INSTRUCTION FOR IPB60 AND IPB61

B WALL WASHER ADJUSTMENT




| ART | L In (m) | X MAX In (m) | h In (m) |
|---|----------------|--------------------|----------------|
| IPLC-LV1-51-XXX-WW Q652 - Q653 - QX09 - RL50 | 39 (1) | 27 (0.7) | 106 (2.7) |

C FOCUS ADJUSTMENT



C ATTENTION



EN Only to be installed on tracks positioned outside the area required for access.














FR À installer uniquement sur rails posées hors du volume d'accessibilité.


ES Solo se debe instalar en raíles colocados fuera del área de accesibilidad.

IT Da installare solo su binari posti al di fuori del volume di accessibilità.



A - B - D ACCESSORIES

| PRODUCT | Ø | Spill ring louver | | Cylindrical screen | | Honeycomb louver | | Elliptical lens | |
|---------|---------------|-------------------|-------------|--------------------|-------|------------------|-------|-----------------|-------|
| | | IMZ49 | IMZ52 | IMZ48 | IMZ51 | IMZ43 | IMZ45 | IMZ47 | IMZ50 |
| | | A | 3/4" (19mm) | X | X | X | X | X | X |
| | 1 1/2" (37mm) | ✓ | X | ✓ | X | ✓ | X | ✓ | X |
| | 2" (51mm) | X | ✓ | X | ✓ | X | ✓ | X | ✓ |
| B | 2" (51mm) | X | X | X | X | X | X | X | X |
| D | 3/4" (19mm) | X | X | X | X | X | X | X | X |
| | 1 1/2" (37mm) | ✓ | X | ✓ | X | ✓ | X | ✓ | X |






D INSTALLATION



D CHANGE POSITION



iGuzzini
9320 Boul.St-Laurent
suite 100, Montréal (Québec)
Canada H2N 1N7
P.: 514.523.1337
F.: 514.525.6107
www.iguzzini.com/us
DM - 16-06-2023

Headquarters iGuzzini illuminazione spa
via Mariano Guzzini, 37 - 62019 Recanati Italy